LASER LEVELS & SENSORS

CATALOG



KAPRO®
TOOLS WITH VISION



CONTENTS

About Us 3

Rotary Lasers 4

Line Lasers 6

Dot Lasers 22

DIY Lasers 24

Laser Sets 27

Sensors 29

Laser Accessories 37



ABOUT US

For over 30 years, we have dedicated ourselves to the development and production of the best layout and measuring tools in the market. Our spirit levels, laser levels and layout and marking tools are produced with the customer in mind and are manufactured to the highest possible quality and standards.

Through our state-of-the-art facilities in Israel, China, the Netherlands and the United States, we have built a global network of partners that cater to the needs of professionals around the world.

Innovation & Design

Kapro's R&D team has revolutionized the layout & measuring tool design, introducing a variety of ground-breaking inventions to the market:

The Plumb Site® Dual-View™ - the only level feature in the market providing a frontal view of the plumb vial, eliminating parallax error as well as neck and back strain due to vertical plumb jobs.

The Optivision® Red Vial - a new standard in vial visibility, achieved by creating a clear color outline around the spirit level's bubble. The clearest, most visible vial on the market today.

Laser Positioning Legs - with anti-slip grips and multiple angle options, our patented strong folding legs simplify angle mounting and height adjustment of lasers.

The Prolaser® Levels - offer a complete line of powerful lasers, that when combined with variable combination sets, offer the customer a staggering array of choices.

Specialty Levels - unique levels designed to meet the specific needs of professionals in various trades, such as drywall installation, plumbing, and electrical work.

Quality

Kapro is dedicated to excellence in every aspect: production, distribution, sales and marketing.

We solely use the highest quality materials and components, from the strongest yet lightest aluminum spirit levels to the most advanced, reliable modules in laser levels.

Kapro is the only level manufacturer in the world to carry the prestigious VPA mark of quality, all our manufacturing facilities are compliant with ISO Standards 9001 and ISO 14001. All Kapro lasers and electronic products carry FDA and CE certification, and comply with RoHS, WEEE and REACH regulations.

In addition, Kapro adheres to strict calibration and testing standards for all products, ensuring the highest level of accuracy in the market.

Service & Value

The Kapro team strives to supply value to our customers through excellent products and the highest level of service. Our dedicated customer service team is constantly listening and responding to customers, ensuring their needs are met in a professional and timely manner.

ROTARY LASER LEVELS



8991G
PROLASER® ELECTROTA™

IP65 WATER & DUST RESISTANT

2 YEAR LIMITED WARRANTY

Laser Beam Layout



Plumb Down & Up Dots



Technical Data

- **Beam color:** Green
- **Accuracy:** ±0.1 mm/m (±0.0001 in/in)
- **Self-leveling:** ±5°
- **Self-leveling type:** Electronic
- **Manual leveling of up to:**
  ±5° in both X and Y planes for slopes and gradients
- **Laser Range:**
  - Without detector: 50 m (165 ft)
  - With detector: 300 m (985 ft)
- Protective shock absorbing cover
- Durable handles
- **5 Customizable rotation speeds:**
  0 (Stationary Point), 60 ,120 , 300 , 600 rpm
- 6 scan modes create visible laser lines for diverse applications
- Visual and audible “Out of Leveling Range” warning
- 5/8” tripod thread for flat & 90° mounting

Kit Includes

- Remote control
- Laser detector
- Beamfinder™ glasses
- Laser target
- Rechargeable batteries
- Battery charger
- 2 x Battery brackets for regular and rechargeable batteries
- Shockproof protective case









LINE LASER LEVELS



MAESTRO 4D
ALL-LINES GREEN LASER

IP65 WATER & DUST RESISTANT

2 YEAR LIMITED WARRANTY

PTIA 2026 AWARD WINNER

Laser Beam Layout





Technical Data

- **Beam color:** Green
- **Accuracy:** ±0.2 mm/m (±0.0002 in/in)
- **Self-leveling:** ±3°
- **Self-leveling type:** Pendulum
- **Laser Range:**
  - Without detector: 30 m (100 ft)
  - With detector: 70 m (230 ft)
- Visual and auditory “Out of Leveling Range” warning
- ECO mode for up to 15 hours of continuous operation
- Manual mode for angular layout / marking
- Flash mode for improved visibility in bright environments
- Pulse mode
- 1/4” tripod thread
- USB Type-C port for easy charging
- Wireless charging
- 1 m (3.3 ft) drop tested

Kit Includes

- Multi-purpose magnetic mount
- Green Beamfinder™ glasses
- Laser target
- USB Type-C charger
- Remote control
- Hard carrying case
- Elevating platform
- Li-ion battery battery pack









MAESTRO 3D
ALL-LINES GREEN LASER

IP65 WATER & DUST RESISTANT

2 YEAR LIMITED WARRANTY

Laser Beam Layout





Technical Data

- **Beam color:** Green
- **Accuracy:** ±0.2 mm/m (±0.0002 in/in)
- **Self-leveling:** ±3°
- **Self-leveling type:** Pendulum
- **Laser Range:**
  - Without detector: 30 m (100 ft)
  - With detector: 70 m (230 ft)
- Visual and auditory “Out of Leveling Range” warning
- ECO mode for up to 15 hours of continuous operation
- Manual mode for angular layout / marking
- Flash mode for improved visibility in bright environments
- Pulse mode
- 1/4” tripod thread
- USB Type-C port for easy charging
- Wireless charging
- 1 m (3.3 ft) drop tested

Kit Includes

- Multi-purpose magnetic mount
- Green Beamfinder™ glasses
- Laser target
- USB Type-C charger
- Remote control
- Hard carrying case
- Li-ion battery battery pack









884G
PROLASER® 4D XTRA

IP54 WATER & DUST RESISTANT

3 YEAR LIMITED WARRANTY

Laser Beam Layout





Technical Data

- **Beam color:** Green
- **Accuracy:** ±0.15 mm/m (±0.00015 in/in)
- **Self-leveling:** ±4°
- **Self-leveling type:** Electronic
- **Laser Range:**
  - Without detector: 30 m (100 ft)
  - With detector: 70 m (230 ft)
- Shock-resistant rubber overmolded cover
- Visual and audible “Out of Leveling Range” warning
- Manual mode for angular layout / marking
- Pulse mode
- 1/4” tripod thread

Kit Includes

- 2 x rechargeable Li-ion batteries
- Charger
- Multi-purpose magnetic mount
- Beamfinder™ glasses
- Elevating platform
- Laser target
- Carrying case









883G
PROLASER® 3D ALL-LINES

IP65 WATER & DUST RESISTANT

3 YEAR LIMITED WARRANTY

Laser Beam Layout





Technical Data

- **Beam color:** Green
- **Accuracy:** ±0.2 mm/m (±0.0002 in/in)
- **Self-leveling:** ±2.5°
- **Self-leveling type:** Pendulum
- **Laser Range:**
  - Without detector: 30 m (100 ft)
  - With detector: 70 m (230 ft)
- Shock-resistant rubber overmolded cover
- Visual "Out of Leveling Range" warning
- Manual mode for angular layout / marking
- Pulse mode
- 1/4" and 5/8" tripod threads

Optional

883GB with softbag (no wall mount & ceiling clamp)

Kit Includes

- Multi-purpose magnetic mount
- Charger
- 2 x rechargeable Li-ion battery
- Beamfinder™ glasses
- Laser target
- Carrying case










V
P
H
M
KAPRO
TOOLS WITH VISION

NUCLEO
MINI 3D GREEN LASER

IP54 WATER & DUST RESISTANT

2 YEAR LIMITED WARRANTY

Laser Beam Layout





Technical Data

- **Beam color:** Green
- **Accuracy:** ±0.2 mm/m (±0.0002 in/in)
- **Self-leveling:** ±3°
- **Self-leveling type:** Pendulum
- **Laser Range:**
  - Without detector: 30 m (100 ft)
  - With detector: 60 m (200 ft)
- Visual “Out of Leveling Range” warning
- Manual mode for angular layout / marking
- Flash mode for improved visibility in bright environments
- Pulse mode
- Top and bottom 1/4” tripod threads
- USB Type-C port for charging

Optional

- NUCLEO SET with tripod (886-18) & EVA case

Kit Includes

- USB Type-C charger
- Magnetic wall mount
- EVA case









875G
PROLASER® ALL-LINES

IP54 WATER & DUST RESISTANT

3 YEAR LIMITED WARRANTY

Laser Beam Layout



Plumb Down Dot



Technical Data

- **Beam color:** Green
- **Accuracy:** ±0.2 mm/m (±0.0002 in/in)
- **Self-leveling:** ±2.5°
- **Self-leveling type:** Pendulum
- **Laser Range:**
  - Without detector: 30 m (100 ft)
  - With detector: 60 m (200 ft)
- **Power supply**
  - Li-Polymer battery pack or 4 AA Alkaline batteries (not included)
- Shock-resistant rubber overmolded cover
- Adjustable support legs
- Manual mode for angular layout / marking
- Pulse mode
- 360° rotating base with fine adjustment knob
- Top surface bubble level
- 5/8” tripod thread

Optional

- 875GS PROLASER® LAYOUT SET
  With tripod (886-28) & hard carrying case

Kit Includes

- 2 x rechargeable lithium battery
- Beamfinder™ Glasses
- Laser target
- Micro USB charging cable
- Soft carrying case
- 5/8” to 1/4” tripod adapter







PRONTO
MULTIBEAM ORBITAL LASER

IP54 WATER & DUST RESISTANT

2 YEAR LIMITED WARRANTY

Laser Beam Layout



Plumb Down & Up Dots



Technical Data

- **Beam color:** Green
- **Accuracy:** ±0.3mm/m (±0.0003in/in)
- **Self-leveling:** ±3°
- **Self-leveling type:** Pendulum
- **Laser Range:**
  - Without detector: 30 m (100 ft)
  - With detector: 60 m (200 ft)
- Shock-resistant rubber overmolded cover
- Manual mode for angular layout / marking
- Pulse mode
- Flash mode for improved visibility in bright environments
- 1/4” tripod thread

Kit Includes

- Multi-purpose magnetic mount
- Green laser target
- Li-ion battery
- USB Type-C charger
- Hard carrying case









962G
PROLASER® MULTIBEAM ORBITAL LASER

IP65 WATER & DUST RESISTANT

2 YEAR LIMITED WARRANTY

Laser Beam Layout



Plumb Down & Up Dots



Technical Data

- **Beam color:** Green
- **Accuracy:** ±0.3mm/m (±0.0003in/in)
- **Self-leveling:** ±3°
- **Self-leveling type:** Pendulum
- **Laser Range:**
  - Without detector: 30 m (100 ft)
  - With detector: 60 m (200 ft)
- Shock-resistant rubber overmolded cover
- Manual mode for angular layout / marking
- Pulse mode
- 1/4" tripod thread

Optional

- **962GB** With soft bag, target and Beamfinder™ Glasses
- **962GS** With pouch & tripod (Kapro 886-19)

Kit Includes

- 4 X AA batteries
- Multi-purpose magnetic mount
- Laser target
- Carrying case









873G
PROLASER® VECTOR

IP54 WATER & DUST RESISTANT

2 YEAR LIMITED WARRANTY

PATENTED

Laser Beam Layout





Technical Data

- **Beam color:** Green
- **Accuracy:** ±0.2 mm/m (±0.0002 in/in)
- **Self-leveling:** ±3°
- **Self-leveling type:** Pendulum
- **Laser Range:**
  - Without detector: 30 m (100 ft)
  - With detector: 60 m (200 ft)
- Shock-resistant rubber overmolded cover
- Adjustable metal folding legs for angle mounting and height adjustment
- Anti-slip grips
- Manual mode for angular layout / marking
- Pulse mode
- Visual and audible “Out of Leveling Range” warning
- 1/4” tripod thread

Optional

- 873GS PROLASER® VECTOR SET
  Green laser, pole tripod (Kapro 886-58)
- 873GS PROLASER® PLUS SET
  with 1.3 m (4.3 ft) tripod

Kit Includes

- 3 X AA batteries
- 5/8” to 1/4” tripod adapter
- Pouch








AVOID EXPOSURE
Laser radiation is emitted from this APERTURE
KAPRO

872G
PROLASER® PLUS

IP54 WATER & DUST RESISTANT

2 YEAR LIMITED WARRANTY

PATENTED

Laser Beam Layout





Technical Data

- **Beam color:** Green
- **Accuracy:** ±0.2 mm/m (±0.0002 in/in)
- **Self-leveling:** ±3°
- **Self-leveling type:** Pendulum
- **Laser Range:**
  - Without detector: 30 m (100 ft)
  - With detector: 60 m (200 ft)
- Shock-resistant rubber overmolded cover
- Adjustable metal folding legs for angle mounting and height adjustment
- Anti-slip grips
- Manual mode for angular layout / marking
- Pulse mode
- Visual and audible “Out of Leveling Range” warning
- 1/4” tripod thread

Optional

- 872GL PROLASER® PLUS
- 872GS PROLASER® PLUS SET
  With 1.3 m (4.3 ft) tripod

Kit Includes

- 3 X AA batteries
- 5/8” to 1/4” tripod adapter
- Pouch







870G
VHX PROLASER® VIP

IP65 WATER & DUST RESISTANT

2 YEAR LIMITED WARRANTY

Laser Beam Layout





Technical Data

- **Beam color:** Green
- **Accuracy:** ±0.2 mm/m (±0.0002 in/in)
- **Self-leveling:** ±3°
- **Self-leveling type:** Pendulum
- **Laser Range:**
  - Without detector: 30 m (100 ft)
  - With detector: 60 m (200 ft)
- Shock-resistant rubber overmolded cover
- Manual mode for angular layout / marking
- Pulse mode
- Visual and audible “Out of Leveling Range” warning
- 1/4” tripod thread

Kit Includes

- 3 X AA batteries
- Laser target
- Wall mount
- Carrying case









862G
PROLASER® CROSS LINE

IP54 WATER & DUST RESISTANT

2 YEAR LIMITED WARRANTY

Laser Beam Layout





Technical Data

- **Beam color:** Green
- **Accuracy:** ±0.4 mm/m (±0.0004 in/in)
- **Self-leveling:** ±3°
- **Self-leveling type:** Pendulum
- **Laser Range:** 20 m (65 ft)
- Magnetic V-Groove back for easy mounting
- Hanging hole
- Manual mode for angular layout / marking
- Visual “Out of Leveling Range” warning
- Locking pendulum mechanism
- 1/4” tripod thread

Optional

- 862GS PROLASER® CROSS LINE LASER SET
  With 1.3 m (4.3 ft) tripod

Kit Includes

- Hook and loop strap
- 2 x AA batteries
- Soft carrying case







842G
PROLASER® BAMBINO™

IP54 WATER & DUST RESISTANT

2 YEAR LIMITED WARRANTY

Laser Beam Layout





Technical Data

- **Beam color:** Green
- **Accuracy:** ±0.4 mm/m (±0.0004 in/in)
- **Self-leveling:** ±3°
- **Self-leveling type:** Pendulum
- **Laser Range:** 15 m (50 ft)
- Shock-resistant rubber overmolded cover
- Manual mode for angular layout / marking
- Visual “Out of Leveling Range” warning
- 1/4” tripod thread

Optional

- 842G PROLASER® BAMBINO™ SET
  With flexible mini tripod (886-08)

Kit Includes

- 2 x AA batteries







DOT LASER LEVELS



896G
PROLASER® 5-DOT

IP54 WATER & DUST RESISTANT

2 YEAR LIMITED WARRANTY

Laser Beam Layout





Technical Data

- **Beam color:** Green
- **Accuracy:** ±0.3 mm/m (±0.0003 in/in)
- **Self-leveling:** ±3.5°
- **Self-leveling type:** Pendulum
- **Laser Range:**
  - Without detector: 20 m (65 ft)
  - With detector: 50 m (165 ft)
- Shock-resistant rubber overmolded cover
- Hanging hole
- 1/4" tripod thread

Kit Includes

- Magnetic multi-functional base
- Laser target
- 2 x AA batteries
- Hook and loop strap
- Soft carrying case









DIY LASERS



810
PROLASER® NAIL GRIPPER™

PATENTED

2 YEAR LIMITED WARRANTY

Laser Beam Layout





Technical Data

- **Beam color:** Red
- **Laser Range:** 6 m (20 ft)
- Highly visible laser beam
- **2 cylindrical vials:**
  - 1 horizontal vial
  - 1 vertical vial
- Patented rubber grip, holds nails or screws of any size
- Pressure-activated power switch

Kit Includes

- 2 x AAA batteries
- Magnetic wristband for holding nails or screws









893
T-LASER™

Laser Beam Layout





Technical Data

- **Beam color:** Red
- 90° highly visible laser beam
- **Laser Range:** 3 m (10 ft)
- Spring grip slides onto edge of standard boards 6.4 mm (1/4") - 15.9 mm (5/8")
- Pressure-activated power switch
- Bi-material molded case with rubber overlay
- Handy belt clip

Kit Includes

- 2 x AAA batteries







LASER SETS



ALL-IN-ONE KIT

IP54 WATER & DUST RESISTANT

2 YEAR LIMITED WARRANTY

Laser Beam Layout





Kit Includes

- **842G PROLASER® BAMBINO™ -** Green Cross Laser
  With ±3° self-leveling and up to 15 m (50 ft) working range
- **771M TWIN™ -** 15 cm Toolbox Level
  With a magnified vial and magnetic V-Groove base
- **309 -LEDGEND™ SQUARE** 30 cm
  Equipped with a unique support ledge and angle marking
- **509-5M MEASURING TAPE**
  Nylon coated, triple-colored printed blade
- 18 mm Rebound Cutting Knife
- Magnetic Flathead and Phillips Screwdrivers
- **886-08 -** Flexible Mini Tripod
- 2 x AA Laser Batteries









SENSORS



377
KAPROMETER™ K7



Technical Data

- **Detection:** Distance | Area | Pythagoras measurement
- **Units:** m | ft
- **Beam color:** Red
- **Measurement range:** 0.05 - 100 m (0.16 - 328 ft)
- **Measurement accuracy:** ±1.5 mm
- **Resolution:** 0.001 m
- **Measurement speed:** 0.5 sec
- **Battery life:** 10,000 measurements
- Built-in flip cover
- Dynamic measuring
- Storage of up to 50 measurements
- Integrated inclinometer
- Up to 3 reference points
- 1/4" tripod thread

Kit Includes

- 2 x AAA batteries
- Carrying pouch









363
KAPROMETER™ K-30

2 YEAR LIMITED WARRANTY



Technical Data

- **Detection:** Area / Volume / Pythagoras measurement
- **Units:** m | ft
- **Beam color:** Red
- **Measurement range:** 0.05 - 30 m (0.16 - 100 ft)
- **Measurement accuracy:** ±2 mm
- **Measurement speed:** 0.5 sec
- **Battery life:** 5000 measurements
- Built-in flip cover
- Keypad protection
- Dynamic measuring
- Storage of up to 20 measurements
- Up to 2 reference points

Kit Includes

- 2 x AAA batteries







379
MOISTURE METER

2 YEAR LIMITED WARRANTY



Technical Data

- **Detection:** Moisture
- **Units:** °C | °F
- **Measurement range:**
  - Timber moisture: 6% to 60%
  - Building material moisture: 1.5% to 33%
- **Measurement accuracy:**
  - **Moisture:** ± 2%
  - **Temperature:** ±2°C (±4°F)”
- 8 calibration scales for various wood types
- Hold function for measurement freeze
- Ergonomic rubber overmold for improved gripping











389
MULTISCANNER STUD FINDER

2 YEAR LIMITED WARRANTY



Technical Data

- **Detection:** In-wall objects
- **Units:** °C | °F
- **Detection depth:**
  - Metal pipes: up to 18 mm (0.7”)
  - Copper pipes: up to 30 mm (1.2”)
  - Other metal objects: up to 50 mm (2”)
  - Studs: up to 18 mm (0.7”)
- Detection of AC wires, metal, wood and studs
- Detection buzzer
- Automatic scan











398
THERMOSCAN™

2 YEAR LIMITED WARRANTY



Technical Data

- **Detection:** Temperature
- **Units:** °C | °F
- **Temperature measurement range:**
  - -50°C to 650°C (-58°F to 1202°F)
- Adjustable from 0.10 to 1.0”
- Optical resolution: 12:1 distance to spot size ratio
- Dual laser pointer marks the measured spot
- Internal memory of up to 20 readings
- Adjustable high/low set points with audible alarm alerts
- Lock function for continuous reading

Kit Includes

- Pouch
- 9V battery









399
THERMO-VISION™

IP54 WATER & DUST RESISTANT

2 YEAR LIMITED WARRANTY



Technical Data

- **Detection:** Temperature
- **Units:** °C | °F
- **Measurement accuracy:**
  - Up to 300°C (572°F): ±2°C (±3.6°F) or ±2%”
  - Above 300°C (572°F): ±5%
  - **Temperature measurement range:**
  - -20°C to 450°C (-4°F to 842°F)
- Thermal image resolution: 160 x 120 px
- Visible image resolution: 0.3 Mp
- Thermal sensitivity: 0.07°C (0.13°F)
- Provide a thermal image based on real-time temperature distribution
- 5 color palettes for optimal image clarity
- Switchable highest & lowest temperature cursors
- Built-in chargeable battery

Kit Includes

- USB cable for charging and data transfer
- Carrying case









397
DEEP VISION™ BORESCOPE

IP67 WATER & DUST RESISTANT

2 YEAR LIMITED WARRANTY



Technical Data

- **Detection:** Vision
- **Operating temperature:**
  - 0°C to 40°C (32°F to -113°F)
- 8.5 mm high sensitivity camera
- Screen resolution: 320 x 240 px
- 3.5" true color LCD screen
- 4 GB internal memory
- 360° LCD image rotation
- Independent 1W light on front
- X4 Zoom

Kit Includes

- Carrying case
- USB charging cable
- 1 m (3 ft) flexible camera cable



Optional

3 m (10 ft) flexible camera cable







LASER ACCESSORIES



886-08
FLEXIBLE MINI TRIPOD

Technical Data

- Maximum height: Up to 21 cm (8.26”)
- Flexible adjustable legs
- 1/4” thread



886-23
UNIVERSAL MAGNETIC WALL MOUNT

Technical Data

- 2 strong rare earth magnets
- 2 hanging holes
- Clamping unit for mounting on profiles or pipes
- 1/4” thread (base thread is 1/8” & 1/4”)
- Anti-slip padding



886-24
MULTIFUNCTIONAL MAGNETIC MOUNT

Technical Data

- 1/4” thread (base thread is 1/8” & 1/4”)
- Rare-Earth magnets
- Anti-slip padding
- 2 hanging holes
- V-Groove
- Additional height adjustment



886-25
MAGNETIC MULTIFUNCTIONAL BRACKET

Technical Data

- Adjustable attachment fitting any pole or tripod
- Locking screw for stability
- Standard 5/8” UNC thread
- 1/4” thread adapter



840G/840
BEAMFINDER™ GLASSES

Technical Data

- Enhances visibility of laser beam



* please note that the kapro 840G/840 beamfinder™ glasses are not intended for use as safety glasses and should not be used for this purpose.

845G/845
MAGNETIC LASER LEVEL TARGET

Technical Data

- For maximum visibility of laser beams projected onto non-solid surfaces
- Special reflective surface
- Graduations marks: cm | in
- Compact & lightweight design



894-04G/894-04
LASER BEAM DETECTORS

Technical Data

- Laser detector is available in red or green
- Locate laser beams with laser levels of a corresponding color on pulse mode)
- **High accuracy:** ±1.5 mm
- **Low accuracy:** ±2.5 mm
- **Outdoor range:**
  - Red laser: up to 50 m (165 ft)
  - Green laser: up to 60 m (200 ft)
- Low voltage alarm
- **Includes:** Laminated 9V battery



886-19
LIGHTWEIGHT ADJUSTABLE LASER TRIPOD

Technical Data

- **Maximum height:** 1.2 m (3.94 ft)
- Adjustable legs
- Adjustable height hand crank
- Alignment vial
- 1/4” thread

Optional

- **Maximum height:** Up to 1.5 m (4.92 ft)
- Carrying handle



886-48
PROFESSIONAL TRIPOD FOR LASER LEVEL

Technical Data

- **Maximum height:** Up to 2.32 m (7.61 ft)
- With scale and vial
- 5/8” thread



886-28
TRIPOD FOR LASER LEVEL

Technical Data

- **Maximum height:** Up to 1.5 m (4.92 ft)
- Adjustable legs
- Adjustable height hand crank
- Alignment vial
- 5/8” thread



841
TRIPOD ADAPTER

Technical Data

- Convert tripod thread from 1/4” UNC to 5/8” UNC





886-58
POLE WITH TRIPOD

Technical Data

- **Maximum height:** Up to 3.2 m (10.5 ft)
- Telescoping pole with locking sections
- Strong lightweight tripod stand with surface level
- Adjustable laser mount with 1/4”and 5/8” UNC thread

Includes

- Carrying bag







KAPRO®
TOOLS WITH VISION

WWW.KAPRO.COM