SPIRIT LEVELS

CATALOG



KAPRO®
TOOLS WITH VISION



CONTENTS

About Us 3

Optivision® Vial 4

Box Levels 5

Digital Levels 12

Specialty Levels 15

Cast Levels 19

I-Beam Levels 23

Toolbox Levels 26

Pocket Levels 32

Post & Pipe Levels 35

Line & Surface Levels 37

Screeds 39

Level Bags 41

Level Sets 43



ABOUT US

For over 30 years, we have dedicated ourselves to the development and production of the best layout and measuring tools in the market. Our spirit levels, laser levels and layout and marking tools are produced with the customer in mind and are manufactured to the highest possible quality and standards.

Through our state-of-the-art facilities in Israel, China, the Netherlands and the United States, we have built a global network of partners that cater to the needs of professionals around the world.

Innovation & Design

Kapro's R&D team has revolutionized the layout & measuring tool design, introducing a variety of ground-breaking inventions to the market:

The Plumb Site® Dual-View™ - the only level feature in the market providing a frontal view of the plumb vial, eliminating parallax error as well as neck and back strain due to vertical plumb jobs.

The Optivision® Red Vial - a new standard in vial visibility, achieved by creating a clear color outline around the spirit level's bubble. The clearest, most visible vial on the market today.

Laser Positioning Legs - with anti-slip grips and multiple angle options, our patented strong folding legs simplify angle mounting and height adjustment of lasers.

The Prolaser® Levels - offer a complete line of powerful lasers, that when combined with variable combination sets, offer the customer a staggering array of choices.

Specialty Levels - unique levels designed to meet the specific needs of professionals in various trades, such as drywall installation, plumbing, and electrical work.

Quality

Kapro is dedicated to excellence in every aspect: production, distribution, sales and marketing.

We solely use the highest quality materials and components, from the strongest yet lightest aluminum spirit levels to the most advanced, reliable modules in laser levels.

Kapro is the only level manufacturer in the world to carry the prestigious VPA mark of quality, all our manufacturing facilities are compliant with ISO Standards 9001 and ISO 14001. All Kapro lasers and electronic products carry FDA and CE certification, and comply with RoHS, WEEE and REACH regulations.

In addition, Kapro adheres to strict calibration and testing standards for all products, ensuring the highest level of accuracy in the market.

Service & Value

The Kapro team strives to supply value to our customers through excellent products and the highest level of service. Our dedicated customer service team is constantly listening and responding to customers, ensuring their needs are met in a professional and timely manner.

OPTIVISION™ VIAL

See The Difference

The Optivision® vial technology was designed to enhance measuring accuracy with unparalleled visibility. These vials feature highly visible red bubble edges, allowing for precise placement between the reading lines and ensuring optimal vision even in bright or low light conditions.

But it doesn't stop at the color alone. The tilted angle of the vial provides a direct line of sight to the bubble, eliminating distortions and guaranteeing accurate readings.

The high contrast ratio between the bubble and vial liquid further contributes to faster measurements and superior precision.



BOX LEVELS


KAPRO
TOOLS WITH VISION
0.5mm/m
0.5mm/m
995 VULCAN
VPA
CERTIFIED
ID 6084
www.VPA-ZERT.de
TESTED & CERTIFIED
IN GERMANY

705 EAGLE™ OPTIVISION™



Features

Accuracy: ±0.5 mm/m (0.0005 in/in)

2 Solid acrylic shockproof vials, including:

- 1 OPTIVISION® Red tilted horizontal vial with gradient lines up to 2%
- 1 Plumb Site® Dual-View™ vial with RedEffect

Finely milled base up to 120 cm (48")

Bridge at horizontal vial for increased body strength

Continuous marking surface

Wall-Grip

Bi-material shock-absorbing rubber end caps


Quality Assurance

VPA CERTIFIED www.VPA-ZERT.de TESTED & CERTIFIED IN GERMANY

LIFETIME WARRANTY VIAL

PATENTED

Size & Weight



Available Lengths

in	16	24	32	36	40	48	60	72	78
cm	40	60	80	90	100	120	150	180	200

Optional

705P Plumb Site® Dual-View™ vial with RedEffect™

Magnetic model: 705M

Floor-standing POS display

905 CONDOR™ OPTIVISION™



Features

Accuracy: ±0.5 mm/m (0.0005 in/in)

Reversibility: Accuracy of ±0.5 mm/m (±0.0005 in/in)

2 or 3 solid acrylic shockproof vials, including:

- 1 OPTIVISION® Red tilted horizontal vial with gradient lines up to 2%
- 1 or 2 vertical vial with RedEffect™

Finely milled base up to 120 cm (48")

Bridge at horizontal vial for increased body strength

Continuous marking surface

Wall-Grip

Ergo Grip™ rubber handle

Shock-absorbing rubber end caps


Quality Assurance

VPA CERTIFIED www.VPA-ZERT.de TESTED & CERTIFIED IN GERMANY

LIFETIME WARRANTY VIAL

PATENTED

Size & Weight



Available Lengths

in	16	24	32	36	40	48	60	72	78
cm	40	60	80	90	100	120	150	180	200

Optional

Magnetic model: 905M

Floor-standing POS display







THE PLUMB SITE® DUAL VIEW™ VIAL

The Plumb Site® Dual View™ vial offers both a front view of the vertical vial as well as the traditional side view via its unique reflection system. This allows a complete field of vision for a true plumb reading without parallax error, neck, or back strain and helps getting the job done faster and easier.



995 VULCAN™



Features

Accuracy: ±0.5 mm/m (0.0005 in/in)

Reversibility: Accuracy of ±0.5 mm/m (±0.0005 in/in)

3 solid acrylic shockproof vials, including:
- 1 Plumb Site® Dual-View™ vial
- 1 magnified horizontal vial with gradient lines up to 2%
- 1 vertical vial

2 milled surfaces up to 120 cm (48”)

V-Groove base for pipe and conduit leveling

Reinforced profile

Ergonomic handle

Wall-Grip


Shock-absorbing rubber end caps

Quality Assurance

VPA CERTIFIED www.VPA-ZERT.de TESTED & CERTIFIED IN GERMANY

LIFETIME WARRANTY VIAL

Size & Weight



Available Lengths

in	16	24	32	36	40	48	60	72	78	96
cm	40	60	80	90	100	120	150	180	200	250

Optional

Magnetic model: 995M

Floor-standing POS display

990 ZEUS™



Features

Accuracy: ±0.5 mm/m (0.0005 in/in)

Reversibility: Accuracy of ±0.5 mm/m (±0.0005 in/in)

3 solid acrylic shockproof, epoxy-locked vials, including:
- 2 Plumb Site® Dual-View™ vials
- 1 magnified horizontal vial including gradient lines up to 2%

2 milled surfaces up to 120 cm (48”)

Ergonomic air-cushioned handles

Ergo Grip™ non-slip

Bridge at horizontal vial for increased body strength

Continuous marking surface

Air-cushioned shock-absorbing end caps


Wall-Grip

Quality Assurance

VPA CERTIFIED www.VPA-ZERT.de TESTED & CERTIFIED IN GERMANY

LIFETIME WARRANTY VIAL

Size & Weight



Available Lengths

in	24	32	36	40	48	60	72	78	96
cm	60	80	90	100	120	150	180	200	250

Optional

Magnetic model: 990M

Floor-standing POS display

900 MANMAX™



Features

Accuracy: ±0.5 mm/m (0.0005 in/in)

3 solid acrylic shockproof vials, including:
- 1 Plumb Site® Dual-View™ vial
- 1 horizontal vial with gradient lines up to 2%
- 1 angle finder vial

2 milled surfaces up to 120 cm (48")


Ergo Grip™ non-slip handle

Shock-absorbing rubber end caps

Quality Assurance

LIFETIME WARRANTY VIAL

Size & Weight



Available Lengths

in	24	32	36	40	48	60	72	78
cm	60	80	90	100	120	150	180	200

Optional

Magnetic model: 900M

Floor-standing POS display

985XL APOLLO™



Features

Accuracy: ±0.5 mm/m (0.0005 in/in)

Reversibility: Accuracy of ±0.5 mm/m (±0.0005 in/in)

3 solid acrylic shockproof vials, including:
- 1 Plumb Site® Dual-View™ vial
- 1 magnified horizontal vial with gradient lines up to 2%
- 1 vertical vial

2 milled surfaces up to 120 cm (48")

Ergo Grip™ non-slip handle

Shock-absorbing rubber end caps


Wall-Grip

Quality Assurance

VPA CERTIFIED www.VPA-ZERT.de TESTED & CERTIFIED IN GERMANY

LIFETIME WARRANTY VIAL

Size & Weight



Available Lengths

in	16	20	24	32	36	40	48	60	72	78	96
cm	40	50	60	80	90	100	120	150	180	200	250

Optional

Magnetic model: 985XL-M

Floor-standing POS display







987XL SATURN™



Features

Accuracy: ±0.5 mm/m (0.0005 in/in)

2 or 3 solid acrylic shockproof epoxy fixed vials, including:
- 1 magnified horizontal vial with gradient lines up to 2%
- 1 or 2 vertical vials

Finely milled base up to 120 cm (48”)

Rubber handle


Wall-Grip

Shock-absorbing rubber end caps

Quality Assurance



Size & Weight



Available Lengths

in	16	24	32	40	48	60	72	78
cm	40	60	80	100	120	150	180	200

Optional

Magnetic model: 987XL-M

Floor-standing POS display

977 NEPTUNE™



Features

Accuracy: ±0.5 mm/m (0.0005 in/in)

2 or 3 solid acrylic shockproof vials, including:
- 1 horizontal vial with gradient lines up to 2%
- 1 or 2 vertical vials

Finely milled base up to 120 cm (48”)


Wall-Grip

Shock-absorbing rubber end caps

Quality Assurance



Size & Weight



Available Lengths

in	16	24	32	40	48	60	72	78
cm	40	60	80	100	120	150	180	200

Optional

Magnetic model: 977-M

Floor-standing POS display







789XL GENESIS™



Features

Accuracy: ±0.5 mm/m (0.0005 in/in)

Reversibility: Accuracy of ±0.75 mm/m (±0.00075 in/in)

2 or 3 solid acrylic shockproof vials, including:
- 1 Plumb Site® Dual-View™ vial
- 1 magnified horizontal vial with gradient lines up to 2%


Finely milled base up to 120 cm (48”)

Wall-Grip

Shock-absorbing rubber end caps

Quality Assurance

Size & Weight



Available Lengths

in	12	16	20	24	32	36	40	48	60	72	78
cm	30	40	50	60	80	90	100	120	150	180	200

Optional

Magnetic model: 789XLM

Without Plumb Site®

Floor-standing POS display

787XL HELIUS™



Features

Accuracy: ±0.5 mm/m (0.0005 in/in)

2 or 3 solid acrylic shockproof vials, including:
- 1 magnified horizontal vial with gradient lines up to 2%
- 1 or 2 vertical vials


Finely milled base up to 120 cm (48”)

Wall-Grip

Shock-absorbing rubber end caps

Quality Assurance

Size & Weight



Available Lengths

in	8	12	16	24	32	40	48	60	72	78
cm	20	30	40	60	80	100	120	150	180	200

Optional

Magnetic model: 787M

Floor-standing POS display







779XL SPIRIT™



Features

Accuracy: ±0.5 mm/m (0.0005 in/in)

Reversibility: Accuracy of ±0.75 mm/m (±0.00075 in/in)

2 or 3 solid acrylic shockproof vials, including:
- 1 magnified horizontal vial with gradient lines up to 2%
- 1 or 2 vertical vials


Finely milled base up to 120 cm (48”)

Wall-Grip

Shock-absorbing rubber end caps

Quality Assurance

Size & Weight



Available Lengths

in	8	12	16	20	24	32	40	48	60	72	78
cm	20	30	40	50	60	80	100	120	150	180	200

Optional

Magnetic model: 779M

Floor-standing POS display

752XL MERCURY™



Features

Accuracy: ±0.5 mm/m (0.0005 in/in)


2 or 3 solid acrylic shockproof vials, including:
- 1 magnified horizontal vial with gradient lines up to 2%
- 1 or 2 vertical vials

Hanging hole

Shock-absorbing rubber end caps

Quality Assurance

Size & Weight



Available Lengths

in	8	12	16	20	24	32	40	48	60	72	78
cm	20	30	40	50	60	80	100	120	150	180	200

Optional

Magnetic model: 752M

Floor-standing POS display

750 ORION™



Features

Accuracy: ±0.5 mm/m (0.0005 in/in)


2 or 3 solid acrylic shockproof vials, including:
- 1 horizontal vial with gradient lines up to 2%
- 1 or 2 vertical vials

Hanging hole

Shock-absorbing rubber end caps

Quality Assurance

Size & Weight



Available Lengths

in	8	12	16	20	24	32	40	48	60	72	78
cm	20	30	40	50	60	80	100	120	150	180	200

DIGITAL LEVELS

905DG DIGITAL CONDOR™



Features

Accuracy: ±0.05° at level & plumb - <0.2° at other angles

2 solid acrylic shockproof vials, including:
- 1 OPTIVISION® Red tilted horizontal vial with gradient lines up to 2%
- 1 vertical vial

Finely milled base up to 120 cm (48")

Bridge at horizontal vial for increased body strength

Continuous marking surface

Wall-Grip

Ergo Grip™ rubber handle

Magnetic base

Shock-absorbing rubber end caps

OPTIVISION™

Quality Assurance


VPA CERTIFIED www.VPA-ZERT.de TESTED & CERTIFIED IN GERMANY

LIFETIME WARRANTY VIAL

PATENTED

IP65 WATER & DUST RESISTANT

Size & Weight



Available Lengths

in	24	48	72
cm	60	120	180

Includes

Water resistant carrying case



985D DIGIMAN™



Features

Digital accuracy:
- <0.1° at level & plumb
- <0.2° at other angles

2 solid acrylic shockproof vials, including:
- 1 Plumb Site® Dual-View™ vial
- 1 horizontal vial

45° backlit, tilted LCD display

180° readout

Hold function for transferring measurements

Mode function (degree/percentage/pitch)

Memory recall: 9 measurements

Buzzer at 0°,45° and 90°

Recalibration function & "False Zero"

2 milled surfaces


Rare-Earth magnets in 60 cm / 120 cm (24" / 48") models

Shock-absorbing end caps

Quality Assurance

LIFETIME WARRANTY VIAL

Size & Weight



Available Lengths

in	10	24	48
cm	25	60	120

Optional

Water resistant bag



393 DIGI PRO



Features

Digital accuracy:
- <0.1° at level & plumb
- <0.2° at other angles

Backlit LCD display

Automatic digit inversion

"False Zero" measurements

Magnetic base

Quality Assurance

IP54
WATER & DUST RESISTANT

Dimensions

in	2.36
cm	6

includes

Pouch



992 DIGITAL T-BEVEL



Features

Digital accuracy: <0.1°

1 horizontal vial

Clear digital display

180° readout

Adjustable blade locks at any angle

Easy recalibration

Reference angle "False Zero"


Anodized aluminum profile


Weight



Dimensions

in	10
cm	25











SPECIALTY LEVELS



985T TITAN™



Features

Accuracy: ±0.5 mm/m (0.0005 in/in)

Reversibility: Accuracy of ±0.5 mm/m (±0.0005 in/in)

3 solid acrylic shockproof vials, including:
- 1 magnified horizontal vial with gradient lines up to 2%
- 2 vertical vials

Top edge high impact polymeric overlay for absorbing hammer and mallet blows


Shock-absorbing rubber end caps

Finely milled base

Quality Assurance



Size & Weight



Available Lengths

in	24	40	48
cm	60	100	120

Optional

985T & 724B Masonry set

770 EXODUS™



Features

Accuracy: ±0.5 mm/m (0.0005 in/in)

3 solid acrylic shockproof vials, including:
- 1 horizontal vial with gradient lines up to 2%
- 1 vertical vials
- 1 45° vial

Precise straight-edge ruler

Finely milled base up to 120 cm (48”)


Wall-Grip

Shock-absorbing rubber end caps

Quality Assurance



Size & Weight



Available Lengths

in	12	24	32	36	40	48	72
cm	30	60	80	90	100	120	180

Optional

Magnetic model: 770M

Floor-standing POS display







773 DRYWALL LEVEL™



Features

Accuracy: ±0.5 mm/m (0.0005 in/in)

2 solid acrylic shockproof vials, including:
- 1 Plumb Site® Dual-View™ vial
- 1 horizontal vial with gradient lines up to 2%

Finely milled base

Magnetic stud slots and markers for standard layout (4 cm)

Shock-absorbing end caps


Rare-Earth magnets

Quality Assurance

VPA CERTIFIED www.VPA-ZERT.de TESTED & CERTIFIED IN GERMANY

LIFETIME WARRANTY VIAL

Size & Weight



Available Lengths

in	36
cm	90

Optional

Model 773B:
Standard stud layout (6 cm)

Model 773G:
Standard stud layout (5 cm)

783 ELECTRICIAN'S LEVEL™



Features

Accuracy: ±0.5 mm/m (0.0005 in/in)

2 solid acrylic shockproof vials, including:
- 1 horizontal vial with gradient lines up to 2%
- 1 vertical vial

4 markers at 71 mm (2.8") intervals

1 additional marker at 91 mm (3.6") - on 130 cm model


3 height markers:
30 cm (12"), 105 cm (41") and 115 cm (45") - on 130 cm model

Shock-absorbing end caps

Quality Assurance

LIFETIME WARRANTY VIAL

Size & Weight



Available Lengths

in	19	51
cm	48	130

Optional

Floor-standing POS display







105 TOPGRADE™



Features

Accuracy: ±0.5 mm/m (0.0005 in/in) on all vials

Accurate slope measurements up to 2%

4-6 solid acrylic shockproof vials (depending on level length) including:
- 3-5 horizontal vials with gradient level of 0%, 1%, 2%
- 1 vertical vial


Shock-absorbing rubber end caps

Finely milled base

Quality Assurance

LIFETIME WARRANTY VIAL

Size & Weight



Available Lengths

in	24	40	48
cm	60	100	120

Optional

Magnetic model: 105M

108T TAP LEVEL



Features

Accuracy: ±0.5 mm/m (0.0005 in/in)

1 horizontal solid acrylic vial with gradient lines up to 2%

50 mm (2”) marker for tap placement


Wall-Grip

Shock-absorbing end caps

Quality Assurance

LIFETIME WARRANTY VIAL

Size & Weight



Available Lengths

in	12
cm	30

108 INSTALLATION LEVEL



Features

Accuracy: ±0.5 mm/m (0.0005 in/in)

2 solid acrylic shockproof vials, including:
- 1 vertical vial with Plumb Site® Dual-View™ vial
- 1 horizontal vial with gradient lines up to 2%

5 markers designed into the level’s profile at standard installation points:
- 280 mm (11”) for sink attachment to wall
- 150 mm (6”) for faucet placement
- 75 mm (3”) for water pipes below the sink

Wall-Grip


Reinforced aluminum profile

Shock-absorbing rubber end caps

Quality Assurance

LIFETIME WARRANTY VIAL

Size & Weight



Available Lengths

in	14	27.5
cm	35	70

Optional

Magnetic model: 108M

CAST LEVELS



930 SMART CAST™ OPTIVISION™



Features

Accuracy: ±0.5 mm/m (0.0005 in/in)

2 solid acrylic shockproof vials, including:
- 1 OPTIVISION® Red tilted horizontal vial with gradient lines up to 2%
- 1 vertical vial with RedEffect™

Finely milled base

Bridge at horizontal vial for increased body strength

Heavy-duty aluminum body

Hanging hole

Shock-absorbing rubber strike caps & end caps

Quality Assurance

VPA CERTIFIED www.VPA-ZERT.de TESTED & CERTIFIED IN GERMANY

LIFETIME WARRANTY VIAL

PATENTED

Size & Weight



Available Lengths

in	16	24	32
cm	40	60	80

Optional

Floor-standing POS display

935 TOOLBOX LEVEL OPTIVISION™



Features

Accuracy: ±0.5 mm/m (0.0005 in/in)

3 solid acrylic shockproof vials, including:
- 1 OPTIVISION® Red tilted horizontal vial with gradient lines up to 2%
- 1 vertical vial with RedEffect™
- 1 angle vial with gradient markings

V-Groove base for pipe and conduit leveling

Bridge at horizontal vial for increased body strength

Finely milled base

Heavy-duty cast aluminum tapered body

Rare-Earth magnets

Advanced impact-resistant rubber end caps

Quality Assurance

VPA CERTIFIED www.VPA-ZERT.de TESTED & CERTIFIED IN GERMANY

LIFETIME WARRANTY VIAL

PATENTED

Size & Weight



Available Lengths

in	10
cm	25

Optional

A third fixed vial at 45°







820 SUPERCAST™



Features


Accuracy: ±0.5 mm/m (0.0005 in/in)

3 solid acrylic shockproof vials, including:
- 1 adjustable horizontal vial with gradient lines up to 2%
- 2 vertical vials

2 milled surfaces

Quality Assurance

Size & Weight



Available Lengths

in	24	32
cm	60	80
(g)	790	990

920 SHARK®



Features

Accuracy: ±0.5 mm/m (0.0005 in/in)

2 solid acrylic shockproof vials, including:
- 1 Plumb Site® Dual-View™ vial
- 1 horizontal vial with gradient lines up to 2%


Finely milled base

Heavy-duty cast aluminum tapered (trapezoid) body

Shock-absorbing rubber anvils

Quality Assurance

Size & Weight



Available Lengths

in	16	20	24	32	40
cm	40	50	60	80	100
(g)	320	390	470	630	770

Optional

Magnetic model: 920M

Floor-standing POS display







730 TOPCAST™



Features

Accuracy: ±0.5 mm/m (0.0005 in/in)

2 solid acrylic shockproof vials, including:
- 1 horizontal vial with gradient lines up to 2%
- 1 vertical vial

Finely milled base


2 heavy-duty cast aluminum anvil strike pads

Drill bit diameter gauge

Quality Assurance



Size & Weight



Available Lengths

in	16	24	32
cm	40	60	80
(g)	460	750	890

731 EIFFEL™



Features

Accuracy: ±0.5 mm/m (0.0005 in/in)

2 solid acrylic shockproof vials, including:
- 1 horizontal vial with gradient lines up to 2%
- 1 vertical vial

Finely milled base


Heavy-duty cast aluminum body

Shock-absorbing rubber anvils

Quality Assurance



Size & Weight



Available Lengths

in	24	32
cm	60	80
(g)	662	810







I-BEAM LEVELS



170 SAMSON™



Features

Accuracy: ±1.0 mm/m (±0.001 in/in)

3 cylindrical vials, including:
- Plumb Site® Dual-View™ vial
- 1 horizontal vial
- 1 vertical vial

2 milled surfaces up to 120 cm (48”)


Heavy-duty aluminum profile

Ergonomic rubber handle

Hanging hole

Shock-absorbing rubber end caps

Size & Weight



Available Lengths

in	16	20	24	32	36	40	48	72	78
cm	40	50	60	80	90	100	120	180	200

Optional

Magnetic model: 170M

140 I-BEAM LEVEL



Features


Accuracy: ±0.75 mm/m (±0.00075 in/in)

3 cylindrical vials, including:
- 1 horizontal vial
- 1 vertical vial
- 1 45° vial

Sturdy aluminum profile

Hanging hole

Size & Weight



Available Lengths

in	16	24	32	36	40	48	60	72	78
cm	40	60	80	90	100	120	150	180	200







175 MAXPRO™



Features

Accuracy: ±0.5 mm/m (0.0005 in/in)

3 cylindrical vials, including:
- 1 horizontal vial with top-down view window
- 1 vertical vial
- 1 45° vial

V-Groove base for pipe and conduit leveling


Heavy duty aluminum profile

ABS handle

Hanging hole

Shock-absorbing rubber end caps

Size & Weight



Available Lengths

in	24	32	36	40	48	60	72	78
cm	60	80	90	100	120	150	180	200

Optional

Model 185:
I-Beam with two milled surfaces

176 MAXPRO™ MAGNETIC



Features

Accuracy: ±0.5 mm/m (0.0005 in/in)

3 Cylindrical vials, including:
- 1 Horizontal vial with top-down view window
- 1 Vertical vial
- 1 45° Vial

Magnetic strip


Heavy duty aluminum profile

ABS handle

Hanging hole

Shock-absorbing rubber end caps

Size & Weight




Available Lengths

in	24	32	36	40	48	60	72	78
cm	60	80	90	100	120	150	180	200







TOOLBOX
LEVELS



923 CAST TORPEDO LEVEL



Features

Accuracy: ±0.5 mm/m (0.0005 in/in) on all vials

3 solid acrylic shockproof vials, including:
- Plumb Site® Dual-View™ vial
- 1 epoxy locked horizontal vial with gradient lines up to 2%
- 1 45° vial

Finely milled base

Rare-Earth magnets

Heavy-duty cast aluminum body

V-Groove base for pipe and conduit leveling

Hanging hole

Quality Assurance

VPA CERTIFIED www.VPA-ZERT.de TESTED & CERTIFIED IN GERMANY

LIFETIME WARRANTY VIAL

Size & Weight



Available Lengths

in	10
cm	25

724 CAST TORPEDO LEVEL



Features

Accuracy: ±0.5 mm/m (0.0005 in/in)

2 solid acrylic shockproof vials, including:
- 1 horizontal vial with gradient lines up to 2%
- 1 vertical vial

Finely milled base

Cast aluminum body

Quality Assurance

VPA CERTIFIED www.VPA-ZERT.de TESTED & CERTIFIED IN GERMANY

LIFETIME WARRANTY VIAL

Size & Weight



Available Lengths

in	10
cm	25

Optional

V-Groove magnetic model: 724MV

With pouch model: 724B

12-piece cardboard POS display







925 TOPCLASS™



Features

4 cylindrical vials, including:
- 1 horizontal vial
- 1 vertical Plumb Site® Dual-View™ vial
- 1 45° vial
- 1 30° vial

Ruler

Electrical plug markers 71 mm (2.8”)


Unique 45° bevel offset edge

Finely milled base

Hanging strap

Rare-Earth magnets

Size & Weight



Available Lengths

in	9
cm	23

926 PIPEMASTER™



Features

4 cylindrical epoxy vials, including:
- 1 horizontal vial
- 1 vertical vial
- 1 45° vial
- 1 30° vial

Thumb screw


Precision machined solid anodized aluminum billet

V-Groove base for pipe and conduit leveling

Finely milled base

Hanging strap

Size & Weight



Available Lengths

in	6.5
cm	16







771M TWIN™



Features

Accuracy: ±0.5 mm/m (0.0005 in/in) on all vials

2 or 3 solid acrylic shockproof vials, including:
- 1 vertical vial with gradient lines
- 1 magnified horizontal vial up to 2%
- 1 45° vial (20 cm)

Magnetic V-Groove base


Hanging hole

Finely milled base

Quality Assurance



Size & Weight



Available Lengths

in	6	8
cm	15	20

Optional

Carabiner

Non-magnetic Model: 771

10-piece cardboard POS display

779T LEIOS™



Features

Accuracy: ±0.5 mm/m (±0.0005 in/in)

3 solid shockproof acrylic vials, including:
- 1 magnified horizontal vial with gradient lines up to 2%
- 1 vertical vial
- 1 45° vial

Shock-absorbing rubber end caps

Wall-Grip


Finely milled base

Rare-Earth magnets

Quality Assurance



Size & Weight



Available Lengths

in	9
cm	23

Optional

6-piece cardboard POS display







235 ZIRCON MAGNETIC TORPEDO LEVEL



Features

Accuracy: ±0.5 mm/m (0.0005 in/in) on all vials

3 cylindrical vials, including:
- 1 horizontal vial
- 1 vertical vial
- 1 45° vial

Powerful rare earth magnets

All aluminum frame with top read window

Ruler Groove compatible with most straight edges for extended measuring and marking

High contrast vial surrounds improve vial visibility

Hanging hole

Size & Weight



Available Lengths

in	10
cm	25

234 JADE MAGNETIC TORPEDO LEVEL



Features

Accuracy: ±0.5 mm/m (0.0005 in/in) on all vials

4 cylindrical vials, including:
- 1 horizontal vial
- 1 vertical vial
- 1 45° vial
- Pitch vial

High contrast vial surrounds improve vial visibility

Top V-Groove surface for accurate alignment on pipe or conduit

Strong magnetic strip at the bottom

Aluminum frame with dual top read windows

Pitch vial reads pitch in 1⁄8”, 1⁄4”, 3⁄8”, and 1⁄2” per foot


Hanging hole

Size & Weight



Available Lengths

in	12
cm	30







233 AMBER MAGNETIC TORPEDO LEVEL



Features

Accuracy: ±0.5 mm/m (0.0005 in/in) on all vials

3 cylindrical vials, including:
- 1 horizontal vial
- 1 vertical vial
- 1 45° vial

Tapered edge for easy in and out of pockets and pouches

Top and bottom V-Groove surfaces for accurate alignment on pipe or conduit

Strong magnetic strip at the bottom

Aluminum frame

Top read window

High contrast vial surrounds improve vial visibility

Size & Weight



Available Lengths

in	9
cm	23

227 STAR PLUS™



Features

Accuracy: ±1.0 mm/m (±0.001 in/in)


3 cylindrical vials, including:
- 1 horisontal vial
- 1 vertical vial
- 1 45° vial

Shock-absorbing rubber end caps

Magnetic V-Groove base for easy placement onto pipes or posts

Hanging hole

Size & Weight



Available Lengths

in	9
cm	23

Optional

20-piece cardboard POS display

229 TOPCLASS™




Features

Accuracy: ±1.0 mm/m (±0.001 in/in)

3 cylindrical vials, including:
- 1 horisontal vial
- 1 vertical vial
- 1 45° vial

Magnetic V-Groove base for easy placement onto pipes or posts

Size & Weight



Available Lengths

in	9
cm	23

Optional

20-piece cardboard POS display

POCKET LEVELS



946 SMARTY™ OPTIVISION™





Features

Accuracy: ±0.5 mm/m (±0.0005 in/in)

Solid acrylic OPTIVISION® Red tilted horizontal vial with gradient lines up to 2%™

Bridge at horizontal vial for increased body strength

Durable cast aluminum tapered body

Large base with Rare-earth magnets

Shock-absorbing rubber side grips


Finely milled base

Belt clip

Quality Assurance



Size & Weight



Available Lengths

in	4
cm	10

Optional

6-piece cardboard POS display

771M TWIN™



Features

Accuracy: ±0.5 mm/m (0.0005 in/in)

2 solid acrylic shockproof vials, including:
- 1 magnified horizontal vial up to 2%
- 1 vertical vial with gradient lines

Magnetic V-Groove base


Finely milled base

Hanging hole

Quality Assurance



Size & Weight



Available Lengths

in	4
cm	10

Optional

Carabiner

Non-magnetic Model: 771

10-piece cardboard POS display







846 CYCLOPS™



Features

Accuracy: ±0.5 mm/m (±0.0005 in/in)

1 solid acrylic shockproof Plumb Site® Dual-View™ vial

2 milled surfaces

Magnetic V-Groove base for easy placement on pipes or posts


Durable cast aluminum magnetic body

Quality Assurance

VPA CERTIFIED www.VPA-ZERT.de TESTED & CERTIFIED IN GERMANY

LIFETIME WARRANTY VIAL

Size & Weight



Available Lengths

in	3.1
cm	8

Optional

10-piece cardboard POS display

246 HANDY LEVEL



Features

Accuracy: ±0.5 mm/m (±0.0005 in/in)

1 solid acrylic shockproof vial with gradient lines up to 2%

Lightweight aluminum profile


Shock-absorbing end caps

Quality Assurance

VPA CERTIFIED www.VPA-ZERT.de TESTED & CERTIFIED IN GERMANY

LIFETIME WARRANTY VIAL

Size & Weight



Available Lengths

in	4
cm	10

Optional

Magnetic model: 246M

Clip strip

10-piece cardboard POS display

245 MINI LEVEL



Features


Accuracy: ±1.0 mm/m (±0.001 in/in)

2 cylindrical vials, including:
- 1 horizontal vial
- 1 angle finder top-scroll adjuster vial

Strong molded plastic casing

Hanger hole

Size & Weight



Available Lengths

in	4
cm	10

POST & PIPE LEVELS



350 PIPE LEVEL 5 PIECE SET



Features

2 cylindrical vials, including:
- 1 horizontal vial
- 1 vertical vial

5 sizes for standard metal and plastic pipes

Sizes

IPS Steel Stainless Steel PVC Plastic		CTS Copper		PP Plastic
inch	mm	inch	mm	mm
1/2	15	3/4	20	25
3/4	20	1	25	32
1	25	11/4-11/2	32-40	40
11/4-11/2	32-40	———		50
2	50	———		63

Optional

Available in Clip strip

340 POSTRITE®



Features

3 cylindrical vials, including:
- 2 horizontal vials
- 1 vertical vial


Folds closed & opens flat


Click-lock every 15°

Adjustable elastic strap for non-magnetic surfaces

4 powerful magnets for metal surfaces

Suitable for all posts, pipes and signs





Optional

6-piece cardboard POS display







LINE & SURFACE LEVELS



440 LINE LEVEL



Features

cylindrical vial 1

Extremely lightweight for line sag prevention

V-Groove base

Handy pocket clip

Hang hooks



Optional

Set with 20 m (65”) cord

441 LINE LEVEL



Features

1 cylindrical vial

Extremely lightweight for line sag prevention

Aluminum base

Hang hooks



240 BULL'S EYE LEVEL



Features

Multipurpose level

Pre-cast holes for easy attachment

Sensitivity: 30 arc/min



242 MAGNETIC CROSS LEVEL



Features

Multipurpose level

Pre-cast holes for easy attachment

2 cylindrical vials

Magnetic



SCREEDS



152 RECTANGULAR SCREED




Features

Easy Clean™ anodized finish

Strong, torsional rigid aluminum profile

Size



Available Lengths

in	40	60	72	78	96	118	138	157
cm	100	150	180	200	250	300	350	400

153 SCREED WITH HANDLES & VIALS



Features

153-31:

2 solid acrylic vials, including:

- 1 horizontal vial
- 1 vertical vial


153-32:

2 solid acrylic vials, including:

- 1 horizontal vial
- 1 vertical vial


2 easy to hold handles

Size



Available Lengths

in	40	48	60	72	78	96	118	138	157
cm	100	120	150	180	200	250	300	350	400



154 TRAPEZOIDAL



Features

Easy Clean™ anodized finish

Strong, torsional rigid aluminum profile

Size



Available Lengths

in	40	48	60	72	78	96	118	138	157
cm	100	120	150	180	200	250	300	350	400

155 SCREED




Features

Easy Clean™ anodized finish

Strong, torsional rigid aluminum profile


Size



Available Lengths

in	40	48	60	72	78	96	118	138	157
cm	100	120	150	180	200	250	300	350	400

LEVEL BAGS



PADDED BAG



Model	Sizes
99060	60 cm (24”)
99066	80 cm (32”)
99065	100 cm (40”)
99061	120 cm (48”)
99125	180 cm (72”)

LONG PADDED BAG



Model	Sizes
99120	60 cm (24”) & 120 cm (48”) & 180 cm (72”)
99111	30 cm (12”) & 60 cm (24”) & 120 cm (48”) & 180 cm (72”)

SHORT PADDED BAG



Model	Sizes
99107	60 cm (24”) & 120 cm (48”)
99104	30 cm (12”) & 60 cm (24”) & 120 cm (48”)

MULTI-LEVEL BAG



Model	Sizes
99113	30 cm (12”) & 60 cm (24”) & 120 cm (48”)

PADDED SLEEVE





Model	Sizes
99021	60 cm (24”)
99023	120 cm (48”)
99024	180 cm (72”)

Optional

Model 99101:
90 cm (32”) & 120 cm (48”)

MULTI-LEVEL BAG



Model	Sizes
99118	60 cm (24”) & 120 cm (48”) & 180 cm (72”)

PROTECTIVE SLEEVE



Model	Sizes
99103	60 cm (24”) & 120 cm (48”)
99179	60 cm (24”) & 120 cm (48”) & 180 cm (70“)

LEVEL SETS



985T & 724B MASONRY SET

Set Includes



985T TITAN™ Heavy-duty tiler & mason level
60 cm (24”) or 120 cm (48”)



724 CAST TORPEDO LEVEL
25 cm (10”)

Why It’s Useful

985T TITAN:

- Shock-absorbing overlay takes trowel and mallet blows without losing ±0.5mm/m (0.0005 in/in) accuracy, so it doubles as a tile-tapping tool.
- No handle means less to catch dust and mortar, wipes clean fast on a messy site.

724 CAST TORPEDO LEVEL:

- Covers window sills, narrow ledges and single tiles where a full-length level won’t fit.
- Finely milled base holds the same ±0.5mm/m accuracy as a compact straightedge and our lifetime accuracy guarantee.

985XLB SHOWER & BATH SET

Set Includes



985XL APOLLO™ Magnetic heavy-duty professional level
80 cm (32")



985XL APOLLO™ Magnetic heavy-duty professional level
150 cm (60")



Carrying bag

Why It’s Useful

- Two lengths, 80 cm (32”) and 150 cm (58”), cover both short checks and long runs on a shower or bath install in one set ±0.5mm/m accuracy, backed by a lifetime warranty
- Plumb Site® Dual-View™: read plumb from either side without repositioning, useful when working solo in a tight bathroom
- 2 finely milled surfaces on the 80 cm (32”) level double as a straightedge
- Ergo Grip™ non-slip handles for a secure hold on wet tile







985XL DOOR JAMB SET

Set Includes



985XL APOLLO™ Magnetic heavy-duty professional level
80 cm (32")



985XL APOLLO™ Magnetic heavy-duty professional level
200 cm (78")



Carrying bag



DIY SETS

242+509

Set Includes





242 MAGNETIC CROSS LEVEL	**509** 3 M MEASURING TAPE

Why It's Useful

242+509 SET :

242 Magnetic cross level Checks level and plumb at the same time on both the X and Y axes, and mounts with pre-cast holes, magnetically on steel or iron, or freestanding, so it works while you read the 509 3 m measuring tape.

245+509

Set Includes





245 MINI LEVEL	**509** 3 M MEASURING TAPE

Why It's Useful

245+509 SET:

245 Mini level (pocket size) pairs with the 509 3 m measuring tape, so measuring and checking level fits in one pocket.

771M+509

Set Includes





771M TWIN™ 10 cm (4")	**509** 3 M MEASURING TAPE

Why It's Useful

771M+509 SET:

771M Twin (10 cm/4") magnetic V-Groove, 2 vials for horizontal and vertical, mounts hands-free on a metal stud or pipe while you read the 509 3 m measuring tape.

779T+510

Set Includes





779T LEIOS™ Magnetic toolbox level 23 cm (9")	**510** OPTIVISION® 3M MEASURING TAPE

Why It's Useful

779T+510 SET:

779T Leios (magnified vial, vertical vial and 45° vial), rare-earth magnets pairs with the 510 optivision® 3 m measuring tape.

KAPRO®

TOOLS WITH VISION

WWW.KAPRO.COM